

Malignancy Protocol

System detoxification is a critical in malignancy recovery. Please see the [Liver Support Protocol](#) for more information.

This program has four different components. The levels attempt to match the toxic and degenerative condition typical:

- [Level 1 - Malignancy Basic](#)
- [Level 2 – Distributed Malignancy / Advanced](#)
- [Anti-Anabolic](#)
- [Conventional Treatment Repair.](#)

There are five main challenges with malignancy:

- Malignancy Inhibition
- Pathogen Suppression
- Immune Support
- Metabolic Optimization
- Systemic/Lymphatic Detoxification

Level 1 –Malignancy Basic

This protocol is basic support, it is typically adequate when:

- Malignancy is Localized
- Conventional treatment has not been used

This [Malignancy Cofactors Nutrient Kit](#) provides a monthly supplement kit which supports this protocol. Plan to use the full protocol, or any equivalent protocol, for 1 year, and then ask your health advisor to design a maintenance program. The hormetic and energetic systems are not included in the package.

Nutrient Kit

This nutrient kit provides basic support.

| Malignancy Inhibition | Qty | Dosage | Role & Notes |
|---|-------|--|--|
| Sanguinarine | 1-2 | Caps With Meals | Deviant cell apoptosis. NIH Sanguinarine research. |
| Beta Glucans | 1-2 | Grams Daily | Heteropolysaccharides help immune regulation & interfere with glucose uptake on certain strains of errant cells. Beta Glucans , PubMed , 1 |
| Transfer Factor | 1-3 | Grams Daily | Immunological components in colostrums provide targeting agents which support identification of pathologic entities. PubMed , 1 , 2 |
| Protease and Lipase enzymes | 2 | Grams Daily (6 capsules on empty stomach) | Digestive enzymes help expose pathogens to immune system, Protease and Lipase help break down waste products which contribute to detoxification symptoms. Dr. Kelly's free eBook . |
| Magnesium Thiosulfate | 1-10 | See Nitrate Urea Detox Level 1 | Supply Magnesium and bio-available sulfur. |
| Vitamin A | 250 K | IU daily | |
| Detox | | | |

| | | | |
|--|---|-----------------|---|
| EPL Myer's Cocktail | 2 | Oz twice weekly | Supports broad spectrum of metabolic support. Myer's Cocktail |
| Lipoic & Silymarin | | | Basic liver support to support accelerated toxin elimination. <ul style="list-style-type: none"> • Lipoic Acid • Milk Thistle (Silymarin) |

Energetic Support

The data supporting these energetic devices and methods suggests these methods are helpful with all forms of malignancy.

Search for:

- [ePad Sleeping Pad 16x30, 3x5, 6x8, 8x10](#)
- [PEMF](#)
- [Oxygen Multistep](#)

| Malignancy Inhibition | Qty | Dosage | Role & Notes |
|--|-------|------------------------------------|--|
| Beta Hormesis Bandage | 1 | Local to each lesion | Activates local immunity, local pathogen suppression. Video . Research Link Technology Video .; Compiled Research <ul style="list-style-type: none"> • Disrupts organism life cycle; • Stimulates immune system • Inhibits opportunistic fungus and yeast overgrowths • Active within blood/brain barrier • Long-term support Ease of use. |
| Beta Hormesis Sleeping Pad | | | Improves blood dispersion. |
| PEMF | 30 | Minutes Daily | On affected area and with metabolic protocol. |
| Exercise with oxygen <ul style="list-style-type: none"> • Hyperthermia • 36 Hour • Athletic Procedure | Daily | Match protocol to physical ability | Restores and maintains systemic tissue oxygen levels to optimal levels (adolescent) levels within 2-4 weeks. Optimal systemic oxygen levels support health and recovery and prevent a wide range of oxygen depletion related pathologies. Also helps with detoxification. VonArdenne Book |

| | | | |
|----------------------------|--|--|--|
| Diet | | | |
| Detox Diet | | | Minimize sugar based food supply that feeds bacteria. Eating program minimizes: insulin, Glucose, mannose. |



Level-2 Distributed Malignancy / Advanced

This protocol is advanced malignancy support. It is in addition to the Level 1 program.

- Distributed Malignancy;
- Aggressive Malignancy

| Malignancy Inhibition | Qty | Dosage | Role & Notes |
|---|-----|--|---|
| IV Vitamin C | 2-3 | IV's weekly 50-200 grams. As directed by physician | Disrupts malignancy. Well supported in literature. Do not use Rocky Mountain detox on these days. |
| Or IV DMSO | 1-3 | Weekly | Disrupts Malignancy, As directed by physician |
| Pathogen Suppression | | | |
| Fibrin Enzymes | | | Breakdown fibrin structures which help shield pathogenic organisms from immune system detection. |
| Immune Support | | | |
| Beta Glucans | 2-4 | Grams daily on an empty stomach | Immune system activator. Inhibits growth of yeast and fungus by binding carbohydrate receptors. |
| Colostrums – Transfer Factors | 2 | Grams 3x / day | Helps immune system targeting |
| Detoxification | | | |
| Liver Support Protocol - Advanced | | | Strongly recommended |
| Coffee enema | | | Daily |

Anti-Anabolic

There is a strong tendency for individuals with malignancy to experience metabolic energy dysregulation. This fatigue is driven by systemic toxicity, usually combined with mitochondrial shutdown, and oxygen metabolism malfunction.

- Continuous fatigue
- Constipation

| Anabolic Dysregulation | Qty | Dosage | Role & Notes |
|--------------------------------------|-----|-------------------------|---|
| Exercise with Oxygen | 30 | Minutes/day | Maintain optimal tissue oxygen saturation: <ul style="list-style-type: none"> • Aids detoxification • Helps control fatigue • Supports immune functions that require oxygen • Inhibits anaerobic organism overgrowth. |
| Taurine, or phenylalanine | 3 | Grams breakfast & Lunch | Anti anabolic proteins |

Advanced Anti-Anabolic

Some individuals resist the basic anti-anabolic. This usually occurs because of severe lipid toxicity, or because of severe systemic toxicity where cell membranes close to protect themselves from extreme environmental toxicity.

This protocol expands the basic anti-Anabolic protocol.

| Anabolic Dysregulation | Qty | Dosage | Role & Notes |
|-------------------------------------|-----------|-------------|--|
| Tung Oil | 1-5 | Grams Daily | Reduces constipation and anti-anabolic |
| Vitamin A | 1 Million | IU daily | Opens cell membrane. ONLY USE Emulsified Vitamin A at these levels. Helps to restore metabolic regulation. |
| Revisi Sulfur Oil | 1-10 | Grams/daily | Provides lipid bound anti-anabolic minerals. |
| Revisi Selenium Oil | 30 | Minutes/day | Maintain optimal tissue oxygen saturation: <ul style="list-style-type: none"> • Helps control fatigue • Supports immune functions that require oxygen • Inhibits anaerobic organism overgrowth. |



Conventional Treatment Repair

Conventional malignancy treatments are highly detrimental to functional immunity and are heavy toxin sources.

By the end of most conventional treatments, sleep is deregulated, and most organ systems are highly toxic.

| Conventional Treatment | | | |
|---|------|-----------|--|
| Revisi Potassium Oil | 1-10 | Grams/day | Restores cellular potassium, depleted by cell membrane toxins |
| Lipophilic Detoxification | | | Depends on agents used. Radiation protocols create significant disruption in cell membrane structures. |

